## LANXESS MATERIAL PROTECTION PRODUCTS (MPP)

## **US/CANADA DISTRIBUTION DRY FILM PRESERVATIVE PRODUCT SELECTION GUIDE**

| Active<br>Ingredient | Product*                              | Active Percentage                          | Form                  | Algaecide/<br>Fungicide/<br>Bactericide | VOC-<br>Free** | Paints/<br>Coatings/<br>Stains | Adhesives | Sealants/<br>Caulks | Joint<br>Compound            | Preservation for<br>Other Building<br>Materials**** | Avialable In<br>Canada**** |
|----------------------|---------------------------------------|--|-----------------------|---|----------------|--------------------------------|-----------|---------------------|------------------------------|---|----------------------------|
| Diuron               | Preventol® AM 63-D                    | 15% Diuron<br>9% Carbendazim<br>3% IPBC    | Aqueous<br>Dispersion | A/F                                     | Yes            | Yes                            | No        | Yes                 | Yes                          | Yes   | No                         |
|                      | ROCIMA™ 63                            | 20% Diuron<br>7.5% Carbendazim<br>2.7% OIT | Aqueous<br>Dispersion | A/F                                     | No             | Yes                            | No        | Yes                 | No                           | Yes   | No                         |
|                      | Preventol® A 6 Preservative           | 99% Diuron                                 | Powder                | А                                       | Yes            | Yes                            | No        | Yes                 | Yes                          | Yes   | No                         |
| Carbendazim          | Preventol® M 78-D                     | 15% Carbendazim<br>5% IPBC                 | Aqueous<br>Dispersion | F                                       | Yes            | Yes                            | Yes       | Yes                 | Yes                          | Yes   | No                         |
| IPBC                 | Preventol® MP 400 D                   | 40% IPBC                                   | Aqueous<br>Dispersion | F                                       | Yes            | Yes                            | Yes       | Yes                 | Approved for Bldg. Materials | Yes   | Yes                        |
|                      | Preventol® MP 260                     | 30% IPBC                                   | Glycolic<br>Solution  | F                                       | No             | Yes                            | Yes       | Yes                 | Yes                          | Yes   | Yes                        |
|                      | Preventol® MP 100<br>Preservative     | 99% IPBC                                   | Powder                | F                                       | Yes            | Yes                            | Yes       | Yes                 | No                           | Yes   | Yes                        |
| DCOIT                | BIOBAN™ 200                           | 20% DCOIT                                  | Aqueous<br>Dispersion | F(A,B)**                                | Yes            | Yes                            | Yes       | Yes                 | Yes                          | Yes   | No                         |
|                      | ROZONE™ 2000                          | 20% DCOIT                                  | Glycolic<br>Solution  | F(A,B)**                                | No             | Yes                            | Yes       | Yes                 | Yes                          | Yes   | Yes                        |
| OIT                  | BIOBAN™ O 45 Antimicrobial            | 45% OIT                                    | Glycolic<br>Solution  | F                                       | No             | Yes                            | Yes       | Yes                 | Yes                          | Yes   | Yes                        |
| DIMTS                | AMICAL™ Flowable                      | 40% DIMTS                                  | Aqueous<br>Dispersion | F                                       | No             | P,C                            | Yes       | Yes                 | Yes                          | Yes   | Yes                        |
|                      | AMICAL™ 48                            | 95% DIMTS                                  | Powder                | F                                       | Yes            | P,C                            | Yes       | Yes                 | Yes                          | Yes   | Yes                        |
| Thiabendazole        | Metasol® TK-25 AD                     | 25% Thiabendazole                          | Aqueous<br>Dispersion | F                                       | Yes            | P,C                            | Yes       | Yes                 | No                           | Yes   | Yes                        |
|                      | Metasol® TK-100                       | 99% Thiabendazole                          | Powder                | F                                       | Yes            | P,C                            | Yes       | Yes                 | No                           | Yes   | Yes                        |
| Propiconazole        | Preventol® A 12 TK-48                 | 34% Propiconazole<br>16.5% IPBC            | Glycolic<br>Solution  | F                                       | No             | Yes                            | Yes       | Yes                 | No                           | Yes   | No                         |
|                      | Preventol® A 12 TK-50<br>Preservative | 50% Propiconazole                          | Glycolic<br>Solution  | F                                       | No             | Yes                            | Yes       | Yes                 | Yes                          | Yes   | No                         |

As with any product, use of the products mentioned in this publication in a given application must be tested (including field testing, etc.) by the user in advance to determine suitability. Check EPA and PMRA label for approved uses and dosage rates.




<sup>\*</sup>Not all products and application included in this brochure. Consult your LANXESS MPP Distributor Account Manager with questions about additional products and applications.

<sup>\*\*</sup>DCOIT is not recommend as a stand alone algaecide or bactericide

<sup>\*\*\*</sup>Based on theoretical VOC content calculations and standards established by the EPA

<sup>\*\*\*\*</sup>Building Materials is a broad category. Consult your LANXESS MPP Distributor Account Manager with questions about specific Building Material approvals.

<sup>\*\*\*\*\*</sup>Approved Applications Limited in Canada. Products not registered in Canada may still qualify for treated article exemptions. Check with your LANXESS MPP Distributor Account Manager before use.



With recent acquisitions, LANXESS has become one of the world's largest suppliers of microbial control products, offering an even larger global manufacturing footprint and technical and regulatory expertise.

Use biocides safely. Always read the label and product information before use.

Health and Safety Information: Appropriate literature has been assembled which provides information concerning the health and safety precautions that must be observed when handling the LANXESS products mentioned in this publication. For materials mentioned which are not LANXESS products, appropriate industrial hygiene and other safety precautions recommended by their manufacturers should be followed. Before working with any of these products, you must read and become familiar with the available information on their hazards, proper use, and handling. This cannot be overemphasized. Information is available in several forms, e.g., safety data sheets and product labels. Consult your LANXESS Corporation representative or contact the Product Safety and Regulatory Affairs Department at LANXESS.

**Regulatory Compliance Information:** Some of the end uses of the products described in this publication must comply with applicable regulations, such as the FDA, NSF, USDA, CPSC and BfR. If you have any questions on the regulatory status of these products, contact your LANXESS Corporation representative or Regulatory Affairs Manager at LANXESS.

The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sale. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.



Note: The information contained in this publication is current as of July, 2023. Please contact LANXESS to determine if this publication has been revised.

Preventol®, BIOBAN™, KATHON™, ROCIMA™, KORDEK™, DOWICIDE™, LANXESS and the LANXESS logo are trademarks of LANXESS Deutschland GmbH or its affiliates, registered in many countries worldwide.

## LANXESS MATERIAL PROTECTION PRODUCTS (MPP)

## **US/CANADA DISTRIBUTION IN-CAN PRESERVATIVE PRODUCT SELECTION GUIDE**

| Primary<br>Active<br>Ingredient | Product*  | Active %                        | Form               | Bactericide/<br>Fungicide | VOC-<br>Free** | Paints/<br>Coatings/<br>Stains | Polymer<br>Emulsions | Adhesives/<br>Sealants/<br>Caulks | Building<br>Materials*** | Mineral<br>Slurries | Avialable In<br>Canada**** |
|---------------------------------|---|---------------------------------|--------------------|---------------------------|----------------|--------------------------------|----------------------|-----------------------------------|--------------------------|---------------------|----------------------------|
| CMIT/MIT                        | KATHON™LX 1.5%/Preventol®<br>D7 (Bivalent)      | 1.5% CMIT/MIT                   | Aqueous Solution   | B/F                       | Yes            | Yes                            | Yes                  | Yes                               | Yes                      | Yes                 | Yes                        |
|                                 | Preventol® D7 LT (Monovalent)                   | 1.5% CMIT/MIT                   | Aqueous Solution   | B/F                       | Yes            | Yes                            | Yes                  | Yes                               | Yes                      | Yes                 | Yes                        |
| BIT &<br>BIT Blends             | Preventol® BIT 20N/ROCIMA™<br>BT 2S             | 19% BIT                         | Glycolic Solution  | В                         | No             | Yes                            | Yes                  | Yes                               | Yes                      | Yes                 | No                         |
|                                 | Preventol® BIT 20D                              | 19% BIT                         | Aqueous Dispersion | В                         | Yes            | Yes                            | Yes                  | Yes                               | Yes                      | Yes                 | No                         |
|                                 | BIOBAN™ BTCM Antimicrobial                      | 10% BIT/0.5% CMIT/<br>MIT       | Aqueous Dispersion | B/F                       | Yes            | Yes                            | Yes                  | Yes                               | Yes                      | Yes                 | No                         |
|                                 | BIOBAN™ BZ Antimicrobial                        | 12% BIT/8% ZPT                  | Aqueous Dispersion | B/F                       | Yes            | Yes                            | Yes                  | Yes                               | Yes                      | Yes                 | No                         |
|                                 | Preventol® BM 5                                 | 2.5% BIT/2.5% MIT               | Aqueous Solution   | B/F                       | Yes            | Yes                            | Yes                  | Yes                               | Yes                      | Yes                 | No                         |
| Bronopol &<br>Bronopol Blends   | Preventol® P 91 (BV)/<br>Preventol® P 91 MV     | 9.97% Bronopol/1.0%<br>CMIT/MIT | Aqueous Solution   | B/F                       | Yes            | Yes                            | Yes                  | Yes                               | Yes                      | Yes                 | Yes                        |
|                                 | ROCIMA™ 586 (MV)                                | 7.5% Bronopol/1.06%<br>CMIT/MIT | Aqueous Solution   | B/F                       | Yes            | Yes                            | Yes                  | Yes                               | Yes                      | Yes                 | No                         |
|                                 | Preventol® PM 310                               | 15% Bronopol/5% MIT             | Aqueous Solution   | B/F                       | Yes            | Yes                            | Yes                  | Yes                               | Yes                      | Yes                 | Yes                        |
|                                 | Preventol® P 30 (PEG)                           | 30% Bronopol                    | Glycolic Solution  | В                         | No             | Yes                            | Yes                  | Adhesives                         | No                       | Yes                 | Yes                        |
|                                 | Preventol® P-100 Preservative                   | 99% Bronopol                    | Solid Flakes       | В                         | Yes            | Yes                            | Yes                  | Adhesives                         | Yes                      | Yes                 | Yes                        |
| MIT                             | ROCIMA™ 550                                     | 9.7% MIT                        | Aqueous Solution   | B/F                       | Yes            | Yes                            | Yes                  | Yes                               | Yes                      | Yes                 | Yes                        |
|                                 | KORDEK™ MLX                                     | 9.7% MIT                        | Aqueous Solution   | B/F                       | Yes            | No                             | Yes                  | Yes                               | Yes                      | Yes                 | Yes                        |
| DBNPA                           | DOWICIL™ QK 20/<br>Antimicrobial N20            | 20% DBNPA                       | Glycolic Solution  | B/F                       | No             | Yes                            | Yes                  | Yes                               | Yes                      | Yes                 | Only<br>DOWICIL™           |
|                                 | Preventol® O Extra Pres./<br>DOWICIDE™ 1E Anti. | 99% OPP                         | Solid Flakes       | B/F                       | Yes            | No                             | Yes                  | Yes                               | Yes                      | Yes                 | Yes****                    |
| OPP                             | Preventol® ON Extra Pres./<br>DOWICIDE™ A Anti. | 71.7% NaOPP                     | Solid Flakes       | B/F                       | Yes            | No                             | Yes                  | Yes                               | Yes                      | Yes                 | Yes****                    |
|                                 | Preventol® ON Extra Pres.<br>Solution           | 20% NaOPP                       | Alkaline Solution  | B/F                       | Yes            | No                             | Yes                  | Yes                               | Yes                      | Yes                 | Yes                        |
| РСМС                            | Preventol® CMK 40                               | 40% PCMC                        | Glycolic Solution  | B/F                       | No             | No                             | Yes                  | Yes                               | Yes                      | No                  | Yes                        |
|                                 | Preventol® CMK Preservative                     | 99% PCMC                        | Solid Flakes       | B/F                       | Yes            | No                             | Yes                  | Yes                               | Yes                      | No                  | Yes                        |

As with any product, use of the products mentioned in this publication in a given application must be tested (including field testing, etc.) by the user in advance to determine suitability. Check EPA and PMRA label for approved uses and dosage rates.




<sup>\*</sup>Not all products and applications included in this brochure. Consult your LANXESS MPP Account Manager with questions about additional products and applications.

<sup>\*\*</sup>Based on theoretical VOC content calculations and standards established by the EPA

<sup>\*\*\*</sup>Building materials is a broad category. This category may include some of the following, but is not limited to, joint compound, concrete additives, grout, stucco and several others. Check EPA label for exact approved uses.

<sup>\*\*\*\*</sup>Approved Applications in Canada. Products not registered in Canada may still qualify for treated article exemptions. Check with LANXESS Account Manager before use.
\*\*\*\*\*DOWICIDE™ 1E Antimicrobial branded as BIOBAN™ OP 100 E Antimicrobial in Canada. DOWICIDE™ A Antimicrobial branded as BIOBAN™ SP 100 Antimicrobial in Canada



With recent acquisitions, LANXESS has become one of the world's largest suppliers of microbial control products, offering an even larger global manufacturing footprint and technical and regulatory expertise.

Use biocides safely. Always read the label and product information before use.

Health and Safety Information: Appropriate literature has been assembled which provides information concerning the health and safety precautions that must be observed when handling the LANXESS products mentioned in this publication. For materials mentioned which are not LANXESS products, appropriate industrial hygiene and other safety precautions recommended by their manufacturers should be followed. Before working with any of these products, you must read and become familiar with the available information on their hazards, proper use, and handling. This cannot be overemphasized. Information is available in several forms, e.g., safety data sheets and product labels. Consult your LANXESS Corporation representative or contact the Product Safety and Regulatory Affairs Department at LANXESS.

**Regulatory Compliance Information:** Some of the end uses of the products described in this publication must comply with applicable regulations, such as the FDA, NSF, USDA, CPSC and BfR. If you have any questions on the regulatory status of these products, contact your LANXESS Corporation representative or Regulatory Affairs Manager at LANXESS.

The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sale. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.



Note: The information contained in this publication is current as of August, 2023. Please contact LANXESS to determine if this publication has been revised.

Preventol®, ROCIMA, BIOBAN, AMICAL, Metasol, LANXESS and the LANXESS logo are trademarks of LANXESS Deutschland GmbH or its affiliates, registered in many countries worldwide.